



BATLIBOI OPENWELL CENTRIFUGAL PUMPSET (SUBMERSIBLE)

**THE BEST IN
PERFORMANCE
AND
RELIABILITY**



[illegible]



PUMPS & MOTORS

PERFORMANCE TABLE

5th Floor, Bhagwati Complex, Jain Merchant Society, Paldi, Ahmedabad-7.
Phone : (O) 6602745 (R) 6643053, 7494581 Fax : 079-663 4620

Zedplus
ENTERPRISE

Openwell Horizontal Submersible Monoset Performance at 415V A.C., Three Phase 50 Hz., 2800 RPM

Pump Model	H.P.	Suc. x Del. in mm.		Head in Mtrs.																			
				5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0	37.5	40.0	42.5	45.0	47.5	50.0	
2 BH 30	3.0	50 x 50	DISC						480	460	419	318	250										
252 BH 30	3.0	65 x 50					590	535	490	425	360												
25 BL 30	3.0	65 x 65				818	780	618	583														
3 BL 30	3.0	80 X 80			880	820	760	590															
4 BL 30	3.0	100 x 100	HARGES	1214	1150	920	670																
131-252 340-400	340-400										250	220	210	180	150								
2 BH 250	5 x 2 Stg	50 x 50											410	380	340	330	300	280	250				
2 BH 50	5.0	50 X 50										582	522	438	360	240							
252 BL 50 B	5.0	65 x 50	ENGINES					590	531	483	419	345	246										
25 BL 50	5.0	65 x 65					940	798	738	642	516	360											
3 BL 50	5.0	80 X 80				1100	940	871	755	637	435												
4 BL 50	5.0	100 x 100			1290	1200	1050	840	650														
			INLET																				
2 BH 265	6.5x 2 Stg	50 x 50																400	360	300	240	180	
2 BH 65	6.5	50 x 50											600	540	498	438	360	270					
252 BH 65	6.5	65 x 50									660	626	572	531	492	419	307						
25 BL 65	6.5	65 x 65	PUMP							912	816	720	642	480									
3 BL 65	6.5	80 X 80						1100	1042	954	805												
4 BL65	6.5	100 X 100				1440	1398	1260	1020														



PUMPS & MOTORS

PERFORMANCE TABLE

5th Floor, Bhagwati Complex, Jain Merchant Society, Paldi, Ahmedabad-7.
Phone : (O) 6602745 (R) 6643053, 7494581 Fax : 079-663 4620

Zedp_{plus}
ENTERPRISE

Openwell Horizontal Submersible Monoset Performance at 415V A.C., Three Phase 50 Hz., 2800 RPM

Pump Model	H.P.	Suc. x Del. in mm.		Head in Mtrs.																		
				7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0	32.5	35.0	37.5	40.0	42.5	45.0	50.0	55.0	60.0
2 BH 275	7.5 x 2 Stg	50 x 50	DISCHARGE													480	450	420	342	222		
2 BH 75 B	7.5	50 x 50													521	473	410	307	105			
2 BH 75	7.5	50 x 50												600	516	450	378	252				
252 BL 75	7.5	65 x 50										649	610	562	502	423	353					
25 BL 75	7.5	65 x 65									700	630	600	550								
3 BL 75	7.5	80 x 80	HEAD					1110	990	900	762	600										
43 BL 75	7.5	100 x 80					1214	1103	954	875	683	604										
4 BL 75	7.5	100x 100			1630	1550	1440	1290	1170	960												
54 BL 75	7.5	125 X 100		1935	1787	1580	1332	950	671													
5 BL 75	7.5	125 x 125		2800	2000	1500																
2 BH 2100	10 x 2 Stg	50 x 50	INLET															531	456	402	318	180
2 BH 100	10.0	50 x 50														630	590	540	420	240		
252 BH 100	10.0	65 x 50												675	620	572	425	473	330			
25 BL 100	10.0	65 x 65										940	820	740	680	620						
3 BL 100	10.0	80 x 80							1298	1210	1161	1090	1040	910	850							
43 BL 100	10.0	100 x 80	PUMP					1380	1332	1210	1103	1010	885									
4 BL 100	10.0	100 X 100					2000	1700	1450	1250	1110	1010										
54 BL 100	10.0	125 x 100		2113	2045	1875	1787	1550	1439	1280	1128											
5 BL 100	10.0	125 x 125		3400	3000	2000	1250															



PUMPS & MOTORS

PERFORMANCE TABL

 5th Floor, Bhagwati Complex, Jain Merchant Society, Paldi, Ahmedabad-7.
 Phone : (O) 6602745 (R) 6643053, 7494581 Fax : 079-663 4620

Zedp_{PLUS}
 ENTERPRISE

Openwell Horizontal Submersible Monoset Performance at 415V A.C., Three Phase 50 Hz., 2800 RPM

Pump Model	H.P.	Suc. x Del. in mm.		Head in Mtrs.																
				10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
2 BH 2125	12.5 x 2 Stg	50 x 50	DISCHARGE										540	492	438	372	288	180		
25 BL 125	12.5	65 x 65						1100	960	840	580									
3 BL 125	12.5	80 x 80					1332	1160	1002	798										
43 BL 125	12.5	100 x 80				1450	1382	1150	750											
4 BL 125	12.5	100 X 100			1800	1730	1580	1400												
54 BL 125	12.5	125 x 100		2205	2023	1706	1103													
5 BL 125	12.5	125 x 125	INLET	3300	2800	1500														
2 BH 2150	15 x 2 Stg	50 x 50													576	540	498	444	378	300
25 BL 150	15.0	65 x 65							960	830	680	400								
3 BL 150	15.0	80 x 80						1400	1250	1050	810									
43 BL 150	15.0	100 X 80					1531	1421	1161	871										
4 BL 150	15.0	100 X 100	PUMP			2000	1800	1630	1400											
54 BL 150	15.0	125 x 100		2472	2229	2068	1646	1161												
5 BL 150	15.0	125 x 125		3500	2950	1700														

Note :

- For 20 HP, 25 HP, 30 HP and 40 HP performance and prices will be provided on specific requirement
- * --> Models are available with ISI mark.

3

4 BTL/20HP : 25 mtr 30 35 40 45 48
 2023000 1800 1457 1160 743 5.0H
 2023000